EST.2007

MORE SAFETY
MORE COMFORTABLE

Nanhe Safety Equipment (Zhejiang)CO.,Ltd.
Zhejiang Nanhe Safety Technology Co.,Ltd

Web:www.nanhesafety.com
Email:admin@nanhesafety.com
Tel:+865708075673
Fax:+865703864604
Add:No.66,Yushang Road,Hangbu Town,Kecheng District, Quzhou City,Zhejiang Province

Safety mark certificate:LA-2023-2420

EST.2007

MORE SAFETY
MORE COMFORTABLE



MORE SAFETY
MORE COMFORTABLE

Catalogue
2024

About us

Nanhe----the guardian of breath.

Nanhe was initially enaged in providing services for infrastructure exploration security system,is one of the leading personal protective equipment (PPE)manufacturers in China, specializing in high quality respirator industrial.

Nanhe, Found in 2007 Located in Quzhou Zhejiang Province, covers an area of 40,000 km2,equipped with a automated production center.

Nanhe is a high-tech company integrating independent R&D, production, sales and core technology with original brands. we specialize in creating quality, safer and comfortable respiratory protection products.

We always prioritize brand building as our mission,

Securing a foothold in the high-end market of respiratory protection with quality materials, advanced technology, innovative ideas and supportive partners.

Nanhe people always devote themselves to improvement, integrating the awe of life into the details of every product.

After over a decade's efforts,we've realized automation in the whole production line,which boasts a monthly production capacity of more than 100,000 pieces,generating an annual output value of more than 150 million RMB.Nanhe actively respond to China's Belt and Road Initiative while going global.Serving 20 industries at home and abroad,with more than 3,000 enterprises.

We strive for the cause of human respiratory protection and health!




Nanhe Factory















Nanhe Exhibition









CERTIFICATION

The bland of SOUNTH NUCLEAR is for China Market of Nanhe,all the quality certification is base on Nanhe



Quality Certification,CE LA ISO



Design Patent



Contents

Reusable Respirator 01-10

For particle and gas

Half-Dust facepiece

Half-single Cartridge

Half-Dual cartridge

Full Face Respirator

Disposable Mask 11-18

Folded dusk mask

Organic vapor odor and particle respirator

Cup shaped dust mask



Reusable Respirator

for particle and gas

Please check oxygen concentration and concentration of contaminants when you select the respiratory protective devices depend on contaminated condition of working environment air.

Reusable Mask Solution

CE LA Approve



2828
Sillicon Material with larger Size

LA Approve



2728
Sillicon material with Smaller Size

LA Approve



2728+
TPE material with Smaller size



2838
Pre-filter holder
EN 143:2000



2602
Pre-filter cotton



2803
Organic and vapor cartridge
EN 14387:2004+A1:2008



9108
Pre-fiter cover



9105
Pre-fiter

CE



8809
Silicon Dual half mask

LA



8809+
TPE Dual half mask

LA ANSI




9006
Silicon Dual full mask

CE ANSI



9006+
PC material



9013
Organic and vapor cartridge
EN 14387:2004+A1:2008



9108
Pre-fiter cover




9101
Pre-fiter



8002
Oil based & Non oil based Particulate fiter



Advantage



Application




Reusable Respirator

Half-Dust facepiece

2818

2828 body with particles cotton filter holder

- Good quality silicon body,with light weight holder,cool comfort.
- Application for Minning shipbuilding construction welding...



2718+

Economic PET body,smaller size



2718

Comfort silicon body,smaller size





2728+ | PET smaller size Light weight Single-Cartridge Respirator in one piece (Cartridge not Included)

- 1. TPE material,lightweight,smaller size,good for equip with helmet, economical protection
- 2,Patented buckle,easy to assemble
- 3. 2-point-surport,single strap head band with adjuster,quick fasterner.
- 4.bottom exhalation valves design,good for sweat flow out.
- 5.Comply with GB 2890-2022,GB 2626-2019,LA certification



2728 | Comfort Silicone smaller size Single-Cartridge Respirator in one piece (No Cartridge Included)

- 1.Good quality silicone material,smaller size,good for equip with helmet, good sealing, oil resistance,good faceseal
- 2.Patented buckle,easy to assemble
- 3.2-point-surport,single strap head band with adjuster,quick fasterner.
- 4.Bottom exhalation valves design,good for sweat flow out.and easy to clean.
- 5.comply with GB2890-2022,GB 2626-2019, LA certification.



2828 | Comfort Silicone Single-Cartridge Respirator in one piece (No Cartridge Included)

- 1.Good quality silicone material with larger size, good sealing, oil resistance,good faceseal
- 2.Patented buckle,easy to assemble
- 3.2-point-surport,single strap head band with adjuster,quick fasterner.
- 4.Bottom exhalation valves design,good for sweat flow out.and easy to clean.
- 5.Comply with EN140:1998- (BSI Certificcate: CE 727082).

2838 Filter Cotton Holder For 2828,2728, and 2728+



- Can be connected with respirator 2728 and 2828, and used with filter cotton 2601A, 2601, 2602, and 2600.
- Louvered air window design with built-in dot-shaped support greatly improves air circulation and reduces resistance.
- Fix point design for filter cotton easy to install
- Comply with EN143:2000+A1:2006- (BSI Certificcate: CE 727079).

Filter Cotton Applicableto2718+,2718,2818



2601A KN90 Filter Cotton (Economical Type)

- Effective filter for non-oil particulate.
- Provide protection against coal dust,silicon dust, cement dust, foundry dustceramic dust, and other dust pollutiongenerated by grinding, welding, andchemical processes.
- Filtration efficiency of more than 90%comply with GB2626-2019 KN90standard.
- Packing method: 1000 pieces/box(20pieces x50 bags)



2601 KN90 Filter Cotton (Long-lasting Type)

- KN90 Filter Cotton for non-oil particles4play PM2.5 dust filter cotton,low breathing resistance
- Outer layer:water resitance,Double meltblown layer,better particles filtering.Inner layer:sweet absorbing
- 90% bacterial filtrion efficiency, comply with GB2626-2019 KN95 standard,



2602 KN95 Filter Cotton

- FFP2 (KN95) Filter Cotton for non-oil particles
- 5play PM2.5 dust filter cotton,low breathing resistance
- Outer layer:water resitance,3 layer meltblown,better particles filtering.Inner layer:sweet absorbing
- 95% bacterial filtrion efficiency, comply with GB2626-2019 KN95 standard, Comply with EN143:2000+A1:2006-(BSI Certificate:CE 727079).



2600 KP95 Paint Fog and smoke CarbonFiber Filter Cotton

- Efficient protection of organicvapor odor and dust can protectoily particles.
- It is suitable for breathingprotection during welding, castingand grinding in shipbuildingmetal manufacturing, metasmelting and other industries.
- Filtration efficiency of more than95%, in line with GB 2626-2019KP95 standard.
- Packing method: 1000 pieces/box(20 pieces x50 bags)

818KY

Low-resistance High-efficiency silicone dust-proof half face respirator for Mining and Metallurgy



- Good quality silicone material, Soft, comfortable and great sealing performance.
- Patented buckle, easy to assemble.
- Unique positioning feature that facilitates the one-step installation of filter cotton.
- Comply with GB 2626-2019, LA certification.

1118

KN95 Filter cotton for 818KY



- Effective filter for non-oil particulate.
- Provide protection against coal dust,silicon dust, cement dust, foundry dust ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 95%, comply with GB2626-2019 KN95 standard.
- Packing method:800 pieces/box(25pieces x32 bags).

6008

Comfort silicone dust-proof half face respirator



- Good quality silicone material, Soft, comfortable and great sealing performance.
- Patented buckle, easy to assemble.
- Unique positioning feature that facilitates the one-step installation of filter cotton.
- Comply with GB 2626-2019, LA certification.

6002

KN95 Filter cotton for 6008



- Effective filter for non-oil particulate.
- Provide protection against coal dust,silicon dust, cement dust, foundry dust ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 95%, comply with GB2626-2019 KN95 standard.
- Packing method:1000 pieces/box(20pieces x50 bags).

6008

Big size Comfort silicone dust-proof half face respirator



- Good quality silicone material, Soft, comfortable and great sealing performance.
- Patented buckle, easy to assemble.
- Unique positioning feature that facilitates the one-step installation of filter cotton.
- Comply with GB 2626-2019, LA certification.

7001

KN95 Filter cotton for 7008




- Effective filter for non-oil particulate.
- Provide protection against coal dust,silicon dust, cement dust, foundry dust ceramic dust, and other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 95%, comply with GB2626-2019 KN95 standard.
- Packing method:1000 pieces/box(20pieces x50 bags).

Single-Cartridge Haft Mask

2899

set with protect against Gas and dust

- single cartriadge light weight silicon respirator
- Low breath resistant high efficiency,cool comfort
- Applied to organic vapor protection,especially spray paint and engine exhaust protection



2799+

Econamic PET body



2728+ & Accessories

2799

Silicon body with smaller size



2728 & Accessories

2899

Silicon body with large size



2828 & Accessories

Respirator Cartridge

Available for 2728+,2728,2828

2803 A1 Long Acting Organic Gas and Vapor Cartridge



- Protect against organic gases or vapors, such as benzene and its congeners, anilines, gasoline.
- international brown label.
- Imported good quality coconut shell activated carbon for long-lasting effect.
- Comply with EN14387:2004+A1:2008 (BSI Certificcate: CE 727074).

2804 K1 Long Lasting Ammonia and Organic Derivatives of Ammonia Cartridge



- Protect against ammonia and organic derivatives of ammonia,such as asammonia methylamine,and other alkaline gases.
- International standard:Green label
- Use imported coconut shell activated carbon for long-lasting
- Comply with GB 2890-2022 standard,China LA certification

2807 E1 Long Lasting Sulfur Dioxide Acid Gas and Acid Vapor Cartridge



- Protect against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, hydrogen chloride, phosphorus and chlorine-containing organic pesticides. and other acidic gases.
- Use yellow label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with EN14387:2004+A1:2008 (BSI Certificcate: CE 727075).

2811 B1 Long Lasting Inorganic Gas and Vapor Cartridge.



- Protection object: Used to protect inorganic gases or vapors, such as hydrocyanic acid, chlorine gas, hydrogenarsenide, phosgene, biphosgene, bitter chloride, benzene, bromomethane, Louis gas, mustard gas.
- Use gray label strips that are compliant with the international standard.
- Use imported coconut shel activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard.

2837 A1 E1 Multi-Function Mixed Gases Organic Gas Sulfur Dioxide Acidic Gas Cartridge



- Protection against organic gases or vapors, such as benzene and its homologues, ketones, alcohols, ethers, aldehydes, alkanescarbon tetrachloride, chloropyros, etc.
- Protection against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, hydrogen chloride, phosphorus andchlorine-containing organic pesticides.
- Use dual color label strips of brown and yellow that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard.



9105A Round Primary Filter Cotton Used onCartridge for 2828,2728, and 2728+

- KN90 Economic filter cotton



9105 Round Primary Filter Cotton Usedon Cartridge for 2828,2728, and 2728+

- KN95 filter cotton



9108 Filter Retainer


- 1.Good Quality plastic material,anti oil,high heat resistant
- 2.Connected with cartridge

Dual-Cartridge Haft Facepices

8889+

set with protected against gas and dust

- Good quality TPE material body,light weight,economic protection
- Dual cartridge,Good sealing, oil resistance,breath freely,cool comfort
- Applied to organic vapor protection, painting ,welding Mining ,Energy, engine exhaust protection etc




8809 & 9020		8809 & 9013	
8809 & 8001		8809+8002	

Full Face Respirator

9096+

set with 9006+ & P-A-1 cartridge with filter cotton

- Reusable Respirator full Face Gas Cover
- Organic Vapor Mask and Anti-fog
- For Painting, mechanical polishing, logging, welding, Against Dust, Staining, Sanding & Cutting
- Durable, and easy to use solution in a variety of environments and applications



9006 & 9017		9006+ & 9013	
9006 & 8001		9006+ & 8002	

8809+ Dual-Cartridge Respirator(No Cartridge Included)



- TPE material,lightweight, economical protection
- Patented buckle,easy to assemble
- 2-point-surport,single strap head band with adjuster,quick fasterner
- Two exhalation valves design,reduce breathing resistant
- Comply with GB 2890-2022,GB 2626-2019,LA certification

8809 Comfort Low-Resistance Dual-Cartridge Respirator(No Cartridge Included)



- Good quality silicone material, good sealing, oil resistance,good faceseal
- Buckle design, easy and quick to replace accessories
- Dual suction valves to reduce breathing resistance
- 2-point-surport,single strap head band with adjuster,quick fasterner
- Comply with EN 140:1998- (BSI Certificcate: CE 727083)

9006+ Lightweight PC Comfort Full Face Respirator



- One-piece cover,Good quality PC material,excellent transparency.Anti fog,Anti impact.
- Scratch resistant eyepiece design.(Gap)
- Patented buckle design, easy and quick replacement
- Speech Diaphragm design to keep cummunicate easy
- five-point headband to keep stable
- Durable, and easy to use solution in a variety of environments and applications
- CE Schedule. GB2026-2019 LA ANSI.Z87 approval.

9006 Large lens Silicon cool comfort full Face Respirator



- One-piece cover,Wide field of view and excellent visibility, Anti-fog coating, quality Silicone Face Seal Comfortable Fit.Anti high impact,Eye Protection.
- Scratch resistant eyepiece design.(Gap)
- Patented buckle design, easy and quick replacement
- Speech Diaphragm design to keep cummunicate easy
- five-point headband to keep stable
- Internation connector,can connect with breathing apparatus
- CE Schedule.ANSI.Z87 LA approval

9116 Replaceable Lens Cover

- 1.It protect and extend the useful life of the respirator. Prevent it from scratching and protects from minor
- 2.Sticks easily and correct fit.
- 3.Design for 9006 full face respirator

Respirator Cartridge

Be Suitable for 8809+,8809,9006+,9006

9013 A1 Organic Gas and Vapor Cartridge (Dual-Cartridge Connector)



- Protect against organic gases or vapors,(boiling point ⊠65°C) such as benzene and its homologues,
- Use brown label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with EN14387:2004+A1:2008 (BSI Certificcate: CE 727076).

9014 K1 Ammonia and Organic Derivatives Of Ammonia Cartridge (Dual-Cartridge Connector)

- Protect against ammonia and its oraanic derivatives. such as ammonia, methylamine. and other alkaline gases
- Use green label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard, obtained China LA certification



9017 E1 Sulfur Dioxide Acid Gas and Vapor Cartridge (Dual-Cartridge Connector)



- Protect against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, and other acidic gases.
- international standard--yellow label
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with EN14387:2004+A1:2008 (BSI Certificcate: CE 727078).

9021 B1 norganic Gas and Vapor Cartridge (Dual-Cartridge Connector)

- Protect against inorganic gases or vapors, such as hydrocyanic acid, chlorine, arsine, phosgene, diphosgene, chloropicrinbenzene, methyl bromide, Lewis gas, and mustard gas.
- Use gray label strips that are compliant with the international standard
- Use imported coconut shell activated carbon for long-lasting effect.
- Complv with GB 2890-2022 standard.



9018 H2S1 Hydrogen Sulfide Cartridge (Dual-Cartridge Connector)



- Protect against hydrogen sulfide.
- Use blue label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard.

9037 A1 E1 Multi-Function Mixed Gases Organic Gas Sulfur Dioxide and Acidic Gas Cartridge (Dua-Cartridge Connectoro)

- Protection against organic gases or vapors, such as benzene and its homologues,ketones, alcohols, ethers, aldehydes, alkanes, carbortetrachloride chloropyros, etc
- Protection against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, hydrogen chloride, phosphorus and chlorinecontaining organic pesticides
- Use dual color label strips of brown and vellow that are compliant with the international standard
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard,obtained China LA certification



9020 A1 B1 E1 K1 Multi-Function Mixed Gases Cartridge (Dual-Cartridge Connector)



Packing:

108 PCS/box, bag + medium box(6PCS/medium box)

- Protection against organic gases or vapors, such as benzene and its homologues, ketones, alcohols, ethers, aldehydesalkanes,carbon tetrachloride, chloropicrin, etc.
- Protection against inorganic gases or vapors, such as hydrocyanic acid, chlorine, arsine, phosgene, chloropicrin, benzeneLewis gas, mustard gas, etc.
- Protection against sulfur dioxide and other acidic gases or vapors. such as su tur dioxide, hdrogen chloride,phosphorus and chlorine-containing organic pesticides.
- Protect ammonia and its organic derivatives, such as ammonia, methylamine, etc.
- Use mixed four-color label strips of brown, yellow, green and gray that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.Comply with GB 2890-2022 standard.

9013 A1 Organic Gas and Vapor Cartridge (Dual-Cartridge Connector)

- Protect against organic gases or vapors,(boiling point ﹥65°C) such as benzene and its homologues,
- Use brown label strips that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.
- comply with GB 2890-2022 standard, obtained China LA certification.



9020 A1 B1 E1 K1 Multi-Function Mixed Gases Cartridge (Dual-Cartridge Connector)



- Protection against organic gases or vapors, such as benzene and its homologues, ketones, alcohols, ethers, aldehydesalkanes,carbon tetrachloride, chloropicrin, etc.
- Protection against inorganic gases or vapors, such as hydrocyanic acid, chlorine, arsine, phosgene, chloropicrin, benzeneLewis gas, mustard gas, etc.
- Protection against sulfur dioxide and other acidic gases or vapors. such as su tur dioxide, hdrogen chloride,phosphorus and chlorine-containing organic pesticides.
- Protect ammonia and its organic derivatives, such as ammonia, methylamine, etc.
- Use mixed four-color label strips of brown, yellow, green and gray that are compliant with the international standard.
- Use imported coconut shell activated carbon for long-lasting effect.Comply with GB 2890-2022 standard.

9037 A1 E1 Multi-Function Mixed Gases Organic Gas Sulfur Dioxide and Acidic Gas Cartridge (Dua-Cartridge Connectoro)

- Protection against organic gases or vapors, such as benzene and its homologues,ketones, alcohols, ethers, aldehydes, alkanes, carbortetrachloride chloropyros, etc
- Protection against sulfur dioxide and other acidic gases or vapors, such as sulfur dioxide, hydrogen chloride, phosphorus and chlorinecontaining organic pesticides
- Use dual color label strips of brown and vellow that are compliant with the international standard
- Use imported coconut shell activated carbon for long-lasting effect.
- Comply with GB 2890-2022 standard,obtained China LA certification



8003 Dual Particulate Filter suit for 8809,8809+,9006,9006+



- Effective filter for non-oil particulate.
- Provide protection against coal dust, silicon dust, cement dust. foundry dust ceramic dust, and other dust pollution generated by grinding,welding, and chemical processes.
- Filtration efficiency of more than 99.97%,comply with GB2626-2019 KN100 standard.

8004 Dual Particulate Filter suit for 8809,8809+,9006,9006+

- Effective filter for oil and non-oil particulate.
- Provide protection against coal dust, silicon dust, cement dust, foundry dust ceramic dust, and other dust pollution generated by grinding,welding, and chemical processes.
- Filtration efficiency of more than 99.97%,comply with GB2626-2019 KP100 standard.





9008s Filter cotton Holder For 9006

- Can be connected with respirator 9006, and used with filter cotton 9000,9001 and 9002
- Unique design, large-flow folding air window, lightweight and durable, easy and quick to replace filter cotton



9000,KN90 Round Primary Filter cotton

- Can be used with 9008S, Suit for 9006 respirator
- Effectively filter paint mist particulate generated by various painting projects.
- Filtration efficiency of more than 90%,comply with GB2626-2019 KN90 standard.
- Packing method:1000 pieces/box(20pieces x50 bags)



9001,KN95 Round Primary Filter cotton

- Can be used with 9008S, Suit for 9006 respirator
- Effectively filter paint mist particulate generated by various painting projects.
- Filtration efficiency of more than 95%,comply with GB2626-2019 KN95 standard.
- Packing method:1000 pieces/box(20pieces x50 bags)



9002,Organic odor KN95 Round Primary Filter cotton

- Can be used with 9008S, Suit for 9006 respirator
- Effective filter for non-oil particulate and organic odor
- Filtration efficiency of more than 95%,comply with GB2626-2019 KN95 standard.
- Packing method:1000 pieces/box(20pieces x50 bags)

Warming Tip

Please replace the filter cotton and filter cartridge in time.

For filter cartridge replacement

1.Please establish a chemical filter cartridge replacement schedule based on the concentration at the work site,

2.Replace it regularly according to the replacement schedule.

3.At any time, if you have smelled or tasted harmful substances or felt irritation from pollutants, please immediately leave the work environment and go to a safe place to replace the filter cartridge.

For Particle filter cotton replacement

1.Whenever the anti particle filter cotton is dirty, damaged, or you feel a significant increase in respiratory resistance, please replace it immediately.

9108 Filter Retainer



- Made of high-strength engineering plastics, high temperature resistance, oil resistance, can be used withrespirator 2728,2728+,2828,8809,8809+,and 9006+ for cartridges.
- Packing method:400 PCS/box(10 PCS/bag x40 bags)

9100 KN90 Round Primary Filter Cotton



- Can be used with cartridge for respirator 27282728+,2828,8809,8809+,and 9006+.
- Effectively filter paint mist particulategenerated by various painting projects.
- Filtration efficiency of more than 90%, complywith GB2890-2022 KN90 standard.
- Packing method:1000 pieces/box (20pieces x50 bags)

9101 KN95 Round Primary Filter Cotton



- Can be used with cartridge for respirator 27282728+,2828,8809,8809+,and 9006+.
- Effectively filter paint mist particulate generatedby various painting projects.
- Filtration efficiency of more than 95%, complywith GB2890-2022 KN95 standard.
- Packing method:1000 pieces/box(20pieces x50 bags)

8001 KN100 Non-Oil Based Particulate Filter Cotton for 8809,8809+,and9006+



- Can effectively filter non-oil particulate.
- Provide protection against coal dust, silicondust,cement dust,foundry dust, ceramicdust, and other other dust pollution generated by grinding, welding, and chemical processes.
- Filtration efficiency of more than 99.97%,comply with GB2626-2019 KN100 standard.
- Packing method: 240 pieces/box,40pieces/box,2 pieces/bag

8002 KP100 Oil Based Particulate and Non-Oil Based Particulate Filter Cottonfor 8809,8809+,and 9006+



- Can effectively filter various oil and non-oil particulates.
- Provide protection during welding, casting and grinding projects in shipbuilding, metal fabrication, smelting, and related industries.
- Filtration efficiency of more than 99.97%.
- On CE Schedule.

Disposable Mask

- Face mask is designed to provide quality,
- reliable and comfortable respiratory protection against dust and odor.

Dust mask selection tips

This product is used for the protection of certain types of particulate.Such as suitable for the respiratory protection against smog, PM2.5, viral microorganisms and dust .

Advantage



Wear instuction



Hold the mask in one hand with the tip of your nose at your fingertips and let the headband hang underneath your hand.



Hold the mask up against your chin and cover your nose.



Fix the position of the mask with your hands, place the upper headband above the ears and higher on the back of the head, and place the lower headband below the ears.



Place the fingers of both hands in the middle of the metal nose clip,while pressing inwards, move your fingertips to both sides along the nose clip until the nose clip is completely pressed into the shape of the bridge of the nose.

China /USA /Europe approval standard

CLASSIFY THE PARTICLE MASK ACCORDING TO CHINA GB 2626-2019 STANDARD:

Classify	Filtration efficiency≥90%	Filtration efficiency≥95%	Filtration efficiency≥99.97%
KN	KN90	KN95	KN100
KP	KP90	KP95	KP100

KN: Apply to filter non-oily particles ;
KP:Apply to filter non oil and oily particles;
Non oily particles: solid,non oily liquid particles and vicroorganism, for example, coal dust,acid,paint mist cement dust and so on;
Oily particle:the particle in lampblack,oil mist,asphalt smoke,coke oven smoke,diesel exhaust and so on.

CLASSIFY THE PARTICLE PROTECTIVE MASK ACCORDING TO USA NIOSH STANDARD:

Classify	Filtration efficiency≥95%	Filtration efficiency≥99%	Filtration efficiency≥99.97%
N	N95	N99	N100
R	R95	R99	R100
P	P95	P99	P100

N:Non-oil, apply to filter non-oily particles;
R: Oil Resistance, apply to filter oily and non oily particles,but do not excess 8 hours when use oily particles;
P: Oil protective, apply to filter oily and non oily particles,for oily particles,the use time to refer to themanufacturer's suggestion.NANHE suggests that do not excess 40hours or 30days.

CLASSIFY THE PARTICLE PROTECTIVE MASK ACCORDING TO EUROPE EN STANDARD:

Classify	FFP1	FFP2	FFP3
Filtration efficiency	≥80%	>94%	≥99%

Disposable Mask

-folded dusk mask



Model:1204

- Foldable,Lightweight ,good comfort
- Head strap- suitable for long time work
- Adjustable Noseclip for possible to fit the shape of nose

Comply with LA GB2626-2019KP95 LA-2023-2420 KN95


Comply with EN149:2001+A1:2009 (BSI Certificcate:CE 727067 FFP2)





Exhalation valve,comfortable to reduce hot air or stuffiness

5ply structure provide reliadble safety





Model: 1003

Material: 5-Ply

Type: Ear Loop,Foldable

Certification: KN95 LA



Model: 1004

Material: 5-Ply

Type: Head strap,Foldable

Certification: KN95 LAand CE



Model: 1203

Material: 5-Ply

Type: Ear Loop,Foldable

Certification: KN95 LA

Disposable Mask

-organic vapor odor and particle respirator



Model: 1208

ISO9001:2015, ISO14001:2015, ISO 45001:2018

GB2626-2019KP95 LA-2023-2420

High efficiency BMF, low breathing resistance

- Helps provide comfortable andconvenient respiratory protection

Collapse resistantcup shape design

- Fits a wide range of faceshapes and sizes

High efficiency activatedcarbon fiber cloth

- Activated carbon layer, nuisancelevel organic vapor relief

Cushioning nose foam

- light weight construction for comfortable wear
- Adjustable nose clip that helps provide acustom fit and secure seal

Cool Flow Exhalation Valve

- Enhanced comfort by reducing heatand moisture
- Easier breathing with good seal

Welded, Knitted Headbands

- Helps provide a secure seal
- The soft inner material and welded knittedheadbands provide added comfort












6ply structure provide reliadble safety





Model: 1007

Material: 6-Ply

Type: Ear Loop,Foldable

Certification: KP95 LA



Model: 1008

Material: 6-Ply

Type: Head strap,Foldable

Certification: KP95 LA



Model: 1207

Material: 6-Ply

Type: Ear Loop,Foldable

Certification: KP95 LA

Disposable Mask

-Cup shaped dust mask



Model:11208

ISO9001:2015, ISO14001:2015, ISO 45001:2018

GB2626-2019KP95 LA-2023-2420

High efficiency BMF,low breathing resistance

- Helps provide comfortable andconvenient respiratory protection

Collapse resistantcup shape design

- Fits a wide range of faceshapes and sizes

High efficiencyelectrostatic cotton

- Advanced Electrostatic Media, filtersdust and other particles, while allowingfor easy breathing, longer service life

Aluminum nose stripwith cushioning nose foam

- Light weight construction forcomfortable wear
- Adjustable Noseclip that helps provideа custom fit and secure seal

Cool Flow Exhalation Valve

- Enhanced comfort by reducing heatand moisture
- Easier breathing with good seal

Welded, Knitted Headbands

- Two-strap design with welded dual pointattachment helps provide a secure seal
- The soft inner material and welded knittedheadbands provide added comfort



Low breath resistant,good comfort




High efficiency Activated Carbon Fiber Cloth High carbon tetrachloride adsorption value for coconut shell activated carbon, better adsorption







4ply structure provide reliadble safety





Model: 11004

Material: 5-Ply

Type: Head strap,cup shaped

Certification: KN95 LA



Model: 11008

Material: 6-Ply

Type: Head strap,cup shaped

Certification: KP95 LA



Model: 11204

Material: 5-Ply

Type: Head strap,cup shaped

Certification: KN95 LA