CHEETAH®
SAFETY WEAR

THE ULTIMATE CHOICE FOR SAFETY SHOES.




Quick Guide Brochure

cheetahsafety.com

SAFETY SHOES TECHNOLOGY

CHEETAH SAFETY WEAR



SAFETY LABEL
Provides clear shoe safety features and information



Smart and patented lacing system for Quick On and Quick Off



MANUFACTURING CLOCK
Production batch indicator for quality assurance



DURABLE UPPER
Selected leather uppers protects your feet against the elements

STEEL / COMPOSITE SAFETY TOE
Protects your toes from the risk of falling objects and compression

AIRGO LITE
COMFORT INSOLE
PU insert that provides extra comfort at every step

SOLEGARD™
Metal-free protective layer against penetrating sharp objects

LIGHTWEIGHT PU INSOLE
Soft sole to absorb impact when active and reduce fatigue

DURABLE PU OUTSOLE
Tough slip-resistant sole exterior suitable for any terrain

SAFETY SHOES CATEGORY

S1
SHOCK ABSORPTION · SLIP RESISTANT · OIL & ACID RESISTANT · 200 JOULE SAFETY TOE · ANTI STATIC

S1P
SHOCK ABSORPTION · SLIP RESISTANT · OIL & ACID RESISTANT · 200 JOULE SAFETY TOE · ANTI STATIC · ANTI NAIL MIDSOLE

S3
SHOCK ABSORPTION · SLIP RESISTANT · OIL & ACID RESISTANT · 200 JOULE SAFETY TOE · ANTI STATIC · ANTI NAIL MIDSOLE · WATER RESISTANT

SHOE SIZE CHART

UK	2.5	3.5	4	5	6	6.5	7	8	9	10	11	12
EUR	35	36	37	38	39	40	41	42	43	44-45	46	47
CM	22	23	24	24.5	25	25.5	26	27	28	29	29.5	30.5

Note: Cheetah ADV and Reflex Series run one size smaller.

NITRILE™



STEEL TOE · NITRILE · HRO 300°C



2001

2001 H ●

- Low cut slip on shoes
- Elastic gore for good fit



2002

2002 H ●

- Low cut lace up shoes
- Padded collar and tongue for greater comfort



2180

2180 H ●

- Ankle lace up boots
- Padded collar and tongue for greater comfort



2288

2288 C ●
2288 H ●

- Pull up 'Rigger' boots
- Closed design protects against debris



2290

2290 H ●

- Welder Boots with velcro strap
- Closed design protects against debris

Reflex™



STEEL TOE · DOUBLE PU · SOLEGARD



8083

- Low Cut Safety Shoes
- Breathable AirKnit™ Upper

METAL FREE



8084


- Low Cut Safety Shoes
- Breathable AirKnit™ Upper

METAL FREE



CHEETAH® SAFETY WEAR

ADV





NYX

6012 C
6012 K

- S3 Construction
- Low Cut Shoes with QUICK LACE™

METAL FREE



JUBATUS

6112 K
6112 G
6112 C

- S3 Construction
- Ankle boots with QUICK LACE™

METAL FREE



TIGRIS

6111 C

- S3 Construction
- Ankle boots with ZIPPER SIDE



METAL FREE



PARDUS

6110 C

- Ankle boots with elastic side
- S3 Construction

METAL FREE



RIGGER

6288 C

- High cut pull-up boots with padded collar
- S3 Construction

METAL FREE

REBOUND™





7001

7001 P
7001 H

- Low cut slip on shoes
- Elastic gore for good fit



7012

7012 H

- Low cut lace up shoes
- Reflective strip for greater visibility



7106

7106 C
7106 H

- Ankle lace up boots
- Padded collar and tongue for greates comfort



7110

7110 H

- Ankle boots with elastic side
- Closed design protects against debris

7111

7111 H

- Ankle boots with zipper
- Closed design protects against debris



7288

7288 C
7288 H

- Pull up 'Rigger' boots
- Closed design protects against debris

CHEETAH® SAFETY WEAR

REVOLUTION

STEEL TOE · PU · SHOCK ABSORPTION





3001

3001 H ●

- Low cut slip on shoes
- Elastic gore for good fit



3002

3002 H ●

- Low cut lace up shoes
- Padded collar and tongue for greater comfort



3180

3180 H ●

- Ankle lace up boots
- Padded collar and tongue for greater comfort



3286

3286 H ●

- 8-inch lace up tactical boots
- Breathable Ripstop Cordura

WORKS WITH CHEETAH ZIP-ON™

WOMEN

STEEL TOE · PU · WOMAN FIT





4007

4007 H ●

- Low cut lace up shoes
- Padded collar and tongue for greater comfort



4008

4008 H ●

- Low cut shoes with adjustable velcro
- Padded collar for comfort



4108

4108 H ●

- Pull up ankle boots with elastic sides
- Reflective tabs for greater visibility

RUBBER BOOTS

STEEL TOE · WATER PROOF · ANTI SLIP



9202 K

- 39 inch PVC Rubber Boots
- Cotton lining for greater comfort


9202 KS

- With nail-proof steel midsole

NAIL PROOF MIDSOLE

CHEETAH® SAFETY WEAR

SAFETY GLASSES





VECTOR

Smoke Lens ●
Clear Lens ○

- Soft adjustable nose pad
- Rubberized temple grip
- Anti-fog lens, ANSI Z87.1
- UV Protection



MATRIX

Smoke Lens ●
Clear Lens ○

- Soft nose pad
- Rubberized temple grip
- Anti-fog lens, ANSI Z87.1
- UV Protection



SPLASH

Clear Lens ○

- Splash goggles adjustable strap.
- Ventilated sides to prevent fogging
- ANSI Z87.1



IMPACT

Clear Lens ○

- Wide frame impact goggles with vents
- Fits over glasses (OTG) design
- Anti-fog lens, ANSI Z87.1

ADD ONS

Additional features and accessories to enhance and protect you at work.



COMPOSITE SAFETY TOE

- Maximum protection and very light
- Metal free



NAIL PROOF MIDSOLE

Protect feet from punctures hazard.
Choice of :
- Nail proof steel midsole

or
- Metal free Solegard™ midsole



2286

CHEETAH
ZIP-ON™

- Easy to use
- Zipper Attachment



CHEETAH
TOE GUARD™

- Overshoe toe protector with elastic strap
- Toe cap comply to EN12568 standard
- Hygenic and practical for visitors



SAFETY SHOES TO PROTECT AND EMPOWER PEOPLE.

CHEETAH®
SAFETY WEAR

Since 1972 CHEETAH® made it our mission to create robust Safety Shoes to meet the most demanding requirements of professionals in every field. Each pair of shoes are designed and made to maximize the wearer's protection and comfort.

Today the same passion to make high quality products continue to drive CHEETAH® to innovate and develop dependable Safety Shoes and PPE that Empower, Enhance, and Protect.

CHEETAH® Safety Shoes comply to the following certifications

SNI
NO : 7079 : 2009
NO : 0111 : 2009

KAN
Komite Akreditasi Nasional
LSPr-004-IDN
NPB 1-104-002-211129-5
NPB 1-104-002-211130-5

CE
EN ISO 20345 : 2011

ASTM
F 2413-11

STL
SS 513
LISTED
STL-FMG-01
SINGAPORE TEST LAB

MS
SIRIM
MS ISO 20345: 2008
PC011803

ISO 9001 2015
CERTIFIED
No. ID04 / 00456

CONNECT WITH US

Cheetah Safety

@cheetahsafety

@cheetahsafetywear

Cheetah Safety Wear Official

CHEETAH®
SAFETY WEAR

EMPOWER.
ENHANCE.
PROTECT.

cheetahsafety.com



SATISFACTION GUARANTEED.

Our safety shoes are warranted from material and construction defects for a period of six months from the date of purchase.

Contact hello@cheetahsafety.com or your sales representative for details